ELSEVIER

Volume 521, Numbers 1–2, 23 August 1996

Journal of Organometallic Chemistry

Contents

Editorial note ix

Preface (English and French) xi

Reviews

Poly(silylenemethylenes) — a novel class of organosilicon polymers
L.V. Interrante, Q. Liu, I. Rushkin and Q. Shen (Troy, NY, USA) 1

Silyl substitution as an aid in polymerization reactions: oxidative coupling of silylthiophene, a route to highly conjugated polythiophene
J.-P. Lère-Porte, J.J.E. Moreau and J.-L. Sauvajol (Montpellier, France) 11

Ring-opening polymerization of nitrogen-containing cyclic organosilicon monomers
M. Bouquey, C. Brochon, S. Bruzaud, A.-F. Mingotaud, M. Schappacher and A. Soum (Talence, France) 21

Regular Papers

Synthesis and structure of 1,6-diaza-2,2-dimethoxy-2-silacyclooctane
W. Ziche, B. Ziemer, P. John, J. Weis and N. Auner (Berlin, Germany) 29

Cobalt deposition in porous silicon by chemical vapour infiltration and deposition; the effects of precursor instability
B.J. Aylett (London, UK), L.G. Earwaker, K. Forcey, T. Giaddui (Birmingham, UK) and I.S. Harding (London, UK) 33

Zinc silanethiolates: synthesis and properties. Crystal structures of bis(tri-*tert*-butoxysilanethiolato)(acetonitrile)zinc(II) and bis(tri-*tert*-butoxysilanethiolato)(bipyridine)zinc(II)
B. Becker, K. Radacki and W. Wojnowski (Gdańsk, Poland) 39

Interactions in crystals. CX. The structure of 9,10-bis(diisopropylsilyl)anthracene and of its "naked" radical anion
H. Bock, M. Ansari, N. Nagel (Frankfurt, Germany) and R.F.C. Claridge (Christchurch, New Zealand) 51

Hydrosilane cleavage reactions accelerated by tartaric acid and dimethyl sulphoxide
M.J. Roth, M.A. Brook and H.B. Penny (Hamilton, Canada) 65

Reactions of symmetrical and unsymmetrical disilanes in the presence of $Cp_2MCl_2/^nBuLi$ (M = Ti, Zr, Hf)
J.Y. Corey and S.M. Rooney (St. Louis, MO, USA) 75

Gas phase studies of silacyclobutanes: recent developments employing triple quadrupole detection
R. Damrauer (Denver, CO, USA) and J.A. Hankin (Boulder, CO, USA) 93

Synthesis of disilylmethanes and polysilacarbosilanes, precursors of silicon carbide-based materials
E. Bacqué, M. Birot, J.-P. Pillot, P. Lapouyade, P. Gerval, C. Biran and J. Dunoguès (Talence, France) 99

A bulky tris(trisilyl)methyl ligand incorporating a donor sulfur atom: some $(Me_3Si)_2(PhSMe_2Si)CSnMe_2X$ compounds
D.A. Antonov (Moscow, Russia), C. Eaborn, J.D. Smith, P.B. Hitchcock, E. Molla (Brighton, UK), V.I. Rozenberg (Moscow, Russia), W.A. Stańcyk and A. Kowaleska (Lódź, Poland) 109

Iodo(methoxydimethylsilyl)bis(trimethylsilyl)methane: a reagent for the preparation of novel organometallic compounds. Crystal structures of $Mg\{C(SiMe_3)_2(SiMe_2OMe)\}_2$ and $MgI_2(OEt_2)_2$
C. Eaborn, P.B. Hitchcock (Brighton, UK), A. Kowalewska (Lódź, Poland), Z.-R. Lu, J.D. Smith (Brighton, UK) and W.A. Stańczyk (Lódź, Poland) 113

The reactions of phenyldimethylsilyllithium with nitriles
I. Fleming, M. Solay and F. Stolwijk (Cambridge, UK) 121

Formation of organosilicon compounds 115 [1]: the applicability as precursors for β-SiC of carbosilanes resulting from the gas phase pyrolysis of methylsilanes
D. Tögel, A. Antony (Karlsruhe, Germany), J. Bill (Stuttgart, Germany), P. Scheer, A. Eichhöfer and G. Fritz (Karlsruhe, Germany) 125

A systematic analysis of the structure-reactivity trends for some 'cation-like' early transition metal catalysts for dehydropolymerization of silanes
V.K. Dioumaev and J.F. Harrod (Montreal, Canada) 133

Si–H-containing cyclosilanes and their behaviour in the dehydrogenative polymerization reaction
E. Hengge, P. Gspaltl and E. Pinter (Graz, Austria) 145

NMR spectra of phenoxysilanes with various silyl groups
P.F. Hudrlik and D.K. Minus (Washington, DC, USA) 157

Palladium-catalyzed reactions of 1,1,2,2-tetraethyl- and 1,1,2,2-tetra(isopropyl)-3,4-benzo-1,2-disilacyclobut-3-ene with alkynes
A. Naka, T. Okada and M. Ishikawa (Higashi-Hiroshima, Japan) 163

A reappraisal of the stereochemistry of polysilylenes formed by the *Wurtz* reductive-coupling reaction
R.G. Jones, R.E. Benfield, P.J. Evans, S.J. Holder and J.A.M. Locke (Kent, UK) 171

2-(Alkoxymethyl)phenylsilicon compounds: the search for pentacoordination
A. Mix, U.H. Berlekamp, H.-G. Stammler, B. Neumann and P. Jutzi (Bielefeld, Germany) 177

Penta- and hexacoordinate silicon compounds with phosphorus donors
H.H. Karsch, R. Richter and E. Witt (Garching, Germany) 185

Addition and cycloaddition reactions of di-*tert*-butyl(di-*tert*-butylphenylsilylimino)silane
J. Niesmann, U. Klingebiel and M. Noltemeyer (Göttingen, Germany) 191

Silsesquioxanes as synthetic platforms. II. Epoxy-functionalized inorganic–organic hybrid species
C. Zhang and R.M. Laine (Ann Arbour, MI, USA) 199

The β-effect of silicon in the orthogonal geometry
J.B. Lambert and X. Liu (Evanston, IL, USA) 203

Synthesis, structures and oxidative addition reactions of new thermally stable silylenes; crystal structures of $[\overline{Si\{N(CH_2{}^tBu)\}_2C_6H_4}\text{-}1,2]$ and $[(\overline{Si\{N(CH_2{}^tBu)\}_2C_6H_4}\text{-}1,2)(\mu\text{-}E)]_2$ (E = Se or Te)
B. Gehrhus, P.B. Hitchcock, M.F. Lappert (Brighton, UK), J. Heinicke (Greifswald, Germany), R. Boese and D. Bläser (Essen, Germany) 211

The chemistry of fumarate and maleate inhibitors with platinum hydrosilylation catalysts
L.N. Lewis, J. Stein, R.E. Colborn, Y. Gao (Schenectady, NY, USA) and J. Dong (Athens, GA, USA) 221

Oxidation of sterically hindered organosilicon hydrides using potassium permanganate
P.D. Lickiss and R. Lucas (Salford, UK) 229

Silyl isoxazolines-2: synthesis, structure and properties
E. Lukevics, V. Dirnens, A. Kemme and J. Popelis (Riga, Latvia) 235

Competitive dehydrogenative silylation and hydrogenative dimerization of vinyltriethoxysilane catalyzed by the $[Ni(acac)_2] + PPh_3$ system, intermediate and mechanistic implications
B. Marciniec, H. Maciejewski, J. Guliński, B. Maciejewska and W. Duczmal (Poznań, Poland) 245

Organogermanium dendrimers
V. Huc, P. Boussaguet and P. Mazerolles (Toulouse, France) 253

Characterization of polyfunctional alkoxysilanes using potassium (K^+) ionization of desorbed species mass spectrometry
M.J. Michalczyk (Wilmington, DE, USA), W.J. Simonsick, Jr. (Philadelphia, PA, USA) and K.G. Sharp (Wilmington, DE, USA) 261

Hydrosilylation of acetylenes using a H_2PtCl_6/CO catalytic system; significantly enhanced yields of α-products
M. Rivera-Claudio, J. Rozell (El Paso, TX, USA), E. Ramirez-Oliva, J. Cervantes (Guanajuato, Mexico) and K.H. Pannell (El Paso, TX, USA) . 267

Density functional theory (DFT)/IGLO ^{29}Si NMR study of trialkylsilylated arenium, bromonium, oxonium and nitrilium ions, comparison with experimental data and the question of persistent trialkylsilicenium ions in solution
G.A. Olah, G. Rasul and G.K.S. Prakash (Los Angeles, CA, USA) 271

Infrared and ^{29}Si NMR spectroscopic investigations on metallasiloxanes derived from organosilanetriols
A. Voigt, R. Murugavel, U. Ritter and H.W. Roesky (Göttingen, Germany) 279

Polymerization of in situ generated disilenes
H. Sakurai, M. Yoshida and K. Sakamoto (Sendai, Japan) 287

Long-chain alkanes with an internal $-H_2Si-SiH_2-$ linkage
M. Söldner, A. Schier and H. Schmidbaur (Garching, Germany) 295

Synthesis and structural characterisation of the novel metallasiloxane compound $[Cp_2^* ZrOSiPh_2OLiOH]_2$
I. Abrahams, C. Simon, M. Motevalli, S.A.A. Shah and A.C. Sullivan (London, UK) 301

Pharmacological discrimination between enantiomeric germanes by muscarinic receptors: a study on germanium/silicon bioisosterism
R. Tacke, D. Reichel (Würzburg, Germany), P.G. Jones (Braunschweig, Germany), X. Hou, M. Waelbroeck (Bruxelles, Belgium), J. Gross, E. Mutschler and G. Lambrecht (Frankfurt, Germany) 305

The differing modes of reaction of 1-(8-dimethylamino-1-naphthyl)-1-hydrodisilane and 1-(1-naphthyl)-1-hydrodisilane in nickel-catalyzed reactions with acetylene: formation of a pseudo-pentacoordinate silole via Si–Si bond cleavage vs. hydrosilation without Si–Si bond cleavage
K. Tamao, M. Asahara and A. Kawachi (Kyoto, Japan) 325

Palladium complex catalyzed Si–Si bond metathesis dimerization of 3,4-benzo-1,2-dimethyl-1,2-diethyl-1,2-disilacyclobut-3-ene and isomerization of the resulting and relevant dimers
Y. Uchimaru and M. Tanaka (Ibaraki, Japan) 335

Time-resolved gas-phase kinetic studies of the reactions of silylene with disilane and trisilane
R. Becerra (Madrid, Spain), H.M. Frey, B.P. Mason and R. Walsh (Reading, UK) 343

Silylene and disilene reactions with electron-poor 1,3-dienes: new ring systems and complete degradation of a CF_3 group
M. Weidenbruch, P. Will (Oldenburg, Germany), K. Peters, H.G. Von Schnering (Stuttgart, Germany) and H. Marsmann (Paderborn, Germany). 355

The reactivity of tetramesityldisilene with epoxides: dependence of product distributions on steric and structural characteristics of the epoxide
J.E. Mangette, D.R. Powell, T.K. Firman and R. West (Madison, WI, USA) 363

Supersilylierte Disilene, Cyclotri-, Cyclotetra- sowie Tetrahedrosilane: Erzeugung, Strukturen, Bildungswege
N. Wiberg, C.M.M. Finger, H. Auer (München, Germany) und K. Polborn (Stuttgart, Germany) 377

Preliminary Communications

Stereospecific insertion of germylene into the vinyl chloride bond
H. Ohgaki and W. Ando (Ibaraki, Japan) 387

Derivatisation of octasilsesquioxane with alcohols and silanols
A.R. Bassindale and T. Gentle (Milton Keynes, UK) 391

Gas-phase reactions of silicon-centred intermediates with chlorofluorocarbons
M.P. Clarke, M. Conqueror, G.H. Morgan and I.M.T. Davidson (Leicester, UK) 395

$BiCl_3$-catalyzed Mukaiyama-aldol and carbonyl-ene reactions
L. Peidro, C. Le Roux, A. Laporterie and J. Dubac (Toulouse, France) 397

Reactions of an incompletely-condensed silsesquioxane with Ph_3PCH_2: a new procedure for derivatizing silsesquioxanes with important implications for the chemistry of silica surfaces
F.J. Feher and S.H. Phillips (Irvine, CA, USA) 401

Double oxidative addition of the Si–Si and Si–Ge bonds onto isonitrile–platinum(0) complexes leading to the formation of tetrakis(organosilyl)- and bis(organogermyl)bis(organosilyl)platinum(IV) complexes
M. Suginome, H. Oike, P.H. Shuff and Y. Ito (Kyoto, Japan) 405

Oxaoctasilahomocubane and dioxaoctasilabishomocubane: novel silicon ring systems
M. Unno, T. Yokota and H. Matsumoto (Gunma, Japan) 409

Kinetic study on thermal syn–anti isomerization of dodecaisopropyltricyclo[4.2.0.$0^{2,5}$]octasilane
S. Kyushin, Y. Yagihashi and H. Matsumoto (Gunma, Japan) 413

Extension of the Benkeser reaction to the reductive trichlorosilylation of main group element chlorides
W.-W. Du Mont, L.P. Müller, L. Müller, S. Vollbrecht and A. Zanin (Braunschweig, Germany) 417

New cascade silylcarbocyclization (SiCaC) of enediynes
I. Ojima, J.V. McCullagh and W.R. Shay (Stony Brook, NY, USA) 421

Cross-conjugated polymers via condensation of a zirconocene alkynyl(benzyne) derivative generated by thermolysis of $Cp_2ZrMe(C_6H_4C{\equiv}CSiMe_3)$
S.S.H. Mao and T.D. Tilley (Berkeley, CA, USA) 425

Synthese und Struktur eines neuartigen molekularen λ^5-Organospirosilikats und dessen dynamisches Verhalten in Lösung
M. Veith und A. Rammo (Saarbrücken, Germany) 429

Author Index 435

Subject Index 437

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.